

12/14/99
JCS&S U.S. PTO

12-16-99

PTO
530 U.S. PTO
09/461699

12/14/99

Please type a plus sign (+) inside this box → ☐

Approved for use through 09/30/2000. OMB 0651-0032
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 C.F.R. § 1.53(b))

Attorney Docket No. XM-0025

First Inventor or Application Identifier S. Patsiakas

Title SYSTEM AND METHOD FOR DISTRIBUTING MUSIC AND DATA

Express Mail Label No. EL342963771US

APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents.

- ☒ * Fee Transmittal Form (e.g., PTO/SB/17)
(Submit an original and a duplicate for fee processing)
- ☒ Specification [Total Pages 16]
(preferred arrangement set forth below)
 - Descriptive title of the invention
 - Cross References to Related Applications
 - Statement Regarding Fed sponsored R & D
 - Reference to Microfiche Appendix
 - Background of the invention
 - Brief Summary of the invention
 - Brief Description of the Drawings (if filed)
 - Detailed Description
 - Claim(s)
 - Abstract of the Disclosure
- ☒ Drawing(s) (35 U.S.C. 113) [Total Sheets 8]
a. ☒ Newly executed (original or copy)
b. ☐ Copy from a prior application (37 C.F.R. § 1.63(d))
(for continuation/divisional with Box 16 completed)
i. ☐ DELETION OF INVENTOR(S)
Signed statement attached deleting inventor(s) named in the prior application, see 37 C.F.R. §§ 1.63(d)(2) and 1.33(b).
- Oath or Declaration [Total Pages 3]
a. ☒ Newly executed (original or copy)
b. ☐ Copy from a prior application (37 C.F.R. § 1.63(d))
(for continuation/divisional with Box 16 completed)
i. ☐ DELETION OF INVENTOR(S)
Signed statement attached deleting inventor(s) named in the prior application, see 37 C.F.R. §§ 1.63(d)(2) and 1.33(b).

* NOTE FOR ITEMS 1 & 13: IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL ENTITY STATEMENT IS REQUIRED (37 C.F.R. § 1.27), EXCEPT IF ONE FILED IN A PRIOR APPLICATION IS RELIED UPON (37 C.F.R. § 1.28).

ADDRESS TO: Assistant Commissioner for Patents
Box Patent Application
Washington, DC 20231

- ☐ Microfiche Computer Program (Appendix)
- Nucleotide and/or Amino Acid Sequence Submission
(if applicable, all necessary)
 - ☐ Computer Readable Copy
 - ☐ Paper Copy (identical to computer copy)
 - ☐ Statement verifying identity of above copies

ACCOMPANYING APPLICATION PARTS

- ☐ Assignment Papers (cover sheet & document(s))
- ☐ 37 C.F.R. § 3.73(b) Statement (when there is an assignee) ☒ Power of Attorney
- ☐ English Translation Document (if applicable)
- ☐ Information Disclosure Statement (IDS)/PTO-1449 ☐ Copies of IDS Citations
- ☐ Preliminary Amendment
- ☒ Return Receipt Postcard (MPEP 503)
(Should be specifically itemized)
- * Small Entity Statement(s) ☐ Statement filed in prior application, Status still proper and desired (PTO/SB/09-12)
- ☐ Certified Copy of Priority Document(s) (if foreign priority is claimed)
- ☐ Other:

16. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No. _____
Prior application information: Examiner _____ Group / Art Unit: _____

For CONTINUATION or DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 4b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.

17. CORRESPONDENCE ADDRESS

☐ Customer Number or Bar Code Label (Insert Customer No. or Attach bar code label here) or ☒ Correspondence address below

Name	Benman & Collins				
Address	2049 Century Park East Suite 2740				
City	Los Angeles	State	CA	Zip Code	90067
Country	USA	Telephone	(310) 553-2400	Fax	(310) 553-2675

Name (Print/Type)	William J. Benman	Registration No. (Attorney/Agent)	29,014
Signature	<i>W. J. Benman</i>	Date	12/14/99

Certification under 37 CFR 1.10

Express Mail No. EL342963771US

Date of Deposit: DECEMBER 14, 1999

I hereby certify that this correspondence is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents, Washington, DC 20231

Name of person mailing application: Yasmin Emerson

Signature of person mailing application: *Y. Emerson*

EL342963771US

PATENT

XM – 0025

SYSTEM AND METHOD FOR DISTRIBUTING MUSIC AND DATA

S. Patsiokas

SYSTEM AND METHOD FOR DISTRIBUTING MUSIC AND DATA

5

BACKGROUND OF THE INVENTION

Field of the Invention:

10

The present invention relates to communications systems. More specifically, the present invention relates to systems and methods for distributing, broadcasting, and recording music information and other content.

15

While the present invention is described herein with reference to illustrative embodiments for particular applications, it should be understood that the invention is not limited thereto. Those having ordinary skill in the art and access to the teachings provided herein will recognize additional modifications, applications, and embodiments within the scope thereof and additional fields in which the present invention would be of significant utility.

20

Description of the Related Art:

25

Music and information are currently widely disseminated through two primary methodologies: 1) broadcast channels (e.g., radio and television) and 2) distribution of physical storage media (books, tapes, CDs, etc.). While broadcast channels offer a rich variety of content along with freedom of motion, the user does not have program control over the content being broadcast. Further, there is no permanent storage of the content being broadcast without the use of a storage device and, such recording, may be illegal. Accordingly, it is common practice to maintain a library of physical storage media (e.g.,

CDs) allowing for a use or enjoyment of the content stored therein at a time of the user's choosing.

The distribution of physical storage media (books, tapes, records, CDs, etc.) is currently a costly process. Music distribution, for example, begins with the storage of the music on a master disk from which copies are made for distribution. The copies are stored on CDs, tapes or other conventional music storage medium. Each copy is labeled and placed in a package. The packages are typically pre-printed in full-color to provide information with respect to the artist, the title of the work, the content of work, the name of the distributor, etc. In addition, the packaging is often designed artistically in a way that is consistent with the genre of the selection and to attract the attention of consumers. All of these features add to the considerable cost associated with the conventional method for distributing music.

Hence, a need exists in the art for an inexpensive system or method for distributing music, information and other content on physical storage media per the desires of the end user in a legal manner that does not violate the rights of the content providers and/or artists.

SUMMARY OF THE INVENTION

20

The need in the art is addressed by the system and method for distributing music and data of the present invention. In accordance with the invention, the music or data is first transmitted to a consumer via a wireless network. In the specific illustrative embodiment, the wireless network is a satellite and terrestrial radio network. The user is provided with a receiver which is capable of receiving the wireless transmission and providing an audio and/or visual output in response thereto. In addition, the receiver is

adapted to receive an input from the user by which the user is able to signal an interest in purchasing a selection of music or data being played and/or displayed. (In the best mode, a voice recognition system is included to provide for receipt of the user's input.)

In the illustrative embodiment, in response to this signal from the user and a
5 record-ability flag transmitted in response to input from a content provider, an ID signal is stored on a removable media which identifies the selection being played and/or displayed. In the specific illustrative embodiment, the removable media is electronic (flash) memory. The ID signal may be a composite signal indicating the time and channel, a signal that identifies a selection by number, or other suitable ID signal. The receiver or
10 the user's home computer may be used to display the title, artist and/or other information based on the user's selections.

The system includes a mechanism for allowing the user to retrieve the desired selection from a second network using the removable media. Several alternatives are provided for the retrieval mechanism. In one embodiment, the retrieval mechanism is a
15 computer, located either in the user's home or in a commercial establishment, through which the user is allowed to access a web site on the World Wide Web or a site on a private distribution hub. In either case, the site provides interface software which translates the ID signal into a human readable identification (e.g., title and artist) of the music or data selected. In an alternative embodiment, the computer is provided in a kiosk
20 accessible to the public.

The user then either downloads the desired selection through the site or places an order for delivery of physical media (e.g., a CD) on which the desired selection is stored.

BRIEF DESCRIPTION OF THE DRAWINGS

5

Fig. 1 is an illustrative implementation of a satellite digital audio service system architecture.

Fig. 2 is a diagram which illustrates the system of Fig. 1 in greater detail.

Fig. 3 is a high-level diagram showing the system for distributing music and data
10 of the present invention.

Fig. 4 is a simplified high-level diagram of the system for distributing music and data of the present invention showing the satellite radio receiver in more detail.

Fig. 5 is a flowchart which illustrates the method of the present invention.

Fig. 6 is a diagram of an illustrative bitstream used by the system for distributing
15 music and data of the present invention.

Fig 7 is a diagram which illustrates the composition of the auxiliary data field of the service control header depicted in Fig. 6.

20

DESCRIPTION OF THE INVENTION

Illustrative embodiments and exemplary applications will now be described with reference to the accompanying drawings to disclose the advantageous teachings of the
25 present invention.

Satellite radio operators will soon provide digital quality radio broadcast services covering the entire continental United States. These services will offer approximately

100 channels, of which nearly 50 channels will provide music with the remaining stations offering news, sports, talk and data channels.

Satellite radio has the ability to improve terrestrial radio's potential by offering a better audio quality, greater coverage and fewer commercials. Accordingly, in October of 1997, the Federal Communications Commission (FCC) granted two national satellite radio broadcast licenses. The FCC allocated 25 megahertz (MHz) of the electro-magnetic spectrum for satellite digital broadcasting, 12.5 MHz of which are owned by Sirius Satellite Radio and 12.5 MHz of which are owned by the assignee of the present application "XM Satellite Radio Inc."

The system plan for each licensee presently includes transmission of substantially the same program content from two or more geosynchronous or geostationary satellites to both mobile and fixed receivers on the ground. In urban canyons and other high population density areas with limited line-of-sight (LOS) satellite coverage, terrestrial repeaters will broadcast the same program content in order to improve coverage reliability. Some mobile receivers will be capable of simultaneously receiving signals from two satellites and one terrestrial repeater for combined spatial, frequency and time diversity, which provides significant mitigation of multipath interference and addresses reception issues associated with blockage of the satellite signals. In accordance with XM Radio's unique scheme, the 12.5 MHz band will be split into 6 slots. Four slots will be used for satellite transmission. The remaining two slots will be used for terrestrial re-enforcement.

In accordance with the XM frequency plan, each of two geostationary Hughes 702 satellites will transmit identical or at least similar program content. The signals transmitted with QPSK modulation from each satellite (hereinafter satellite1 and satellite2) will be time interleaved to lower the short-term time correlation and to maximize the robustness of the signal. For reliable reception, the LOS signals transmitted from satellite1 are received, reformatted to Multi-Carrier Modulation (MCM)

and rebroadcast by terrestrial repeaters. The assigned 12.5 MHz bandwidth (hereinafter the "XM" band) is partitioned into two equal ensembles or program groups A and B. The use of two ensembles allows 4096 Mbits/s of total user data to be distributed across the available bandwidth. Each ensemble will be transmitted by each satellite on a separate
5 radio frequency (RF) carrier. Each RF carrier supports up to 50 channels of music or data in Time Division Multiplex (TDM) format. With terrestrial repeaters transmitting an A and a B signal, six total slots are provided, each slot being centered at a different RF carrier frequency.

In accordance with the present invention, satellite radio is utilized along with a
10 removable storage medium and the World Wide Web or a centralized distribution hub to provide a novel and advantageous system and method for distributing music, information, and other content within legal means.

An illustrative implementation of satellite digital audio service (SDARS) system architecture is depicted in Figs. 1 and 2. As illustrated in Fig 1, the system 10 includes
15 first and second geostationary satellites 12 and 14 which transmit line-of-sight (LOS) signals to SDARS receivers located on the surface of the earth. The satellites provide for interleaving and spatial diversity. The system 10 further includes multiple terrestrial repeaters 16 which receive and retransmit the satellite signals to facilitate reliable reception in geographic areas where LOS reception from the satellites is obscured by tall
20 buildings, hills, tunnels and other obstructions. The signals transmitted by the satellites 12 and 14 and the repeaters 16 are received by SDARS receivers 20. As depicted in Fig. 1, the receivers 20 may be located in automobiles, handheld or stationary units for home or office use. The SDARS receivers 20 are designed to receive one or both of the satellite signals and the signals from the terrestrial repeaters and combine or select one of the
25 signals as the receiver output as discussed more fully below.

Fig. 2 is a diagram which illustrates the system 10 of Fig. 1 in greater detail with a single satellite and a single terrestrial repeater. Fig. 2 shows a broadcast segment 22 and

5 a terrestrial repeater segment 24. In the illustrative embodiment, an incoming bit stream is encoded into a time division multiplexed (TDM) signal using an audio compression scheme (such as MPEG or Lucent's PAC) by an encoder 26 of conventional design. The TDM bit stream is upconverted to RF by a conventional quadrature phase-shift keyed (QPSK) modulator 28. The upconverted TDM bit stream is then uplinked to the satellites 12 and 14 by an antenna 30. Those skilled in the art will appreciate that the present invention is not limited to the broadcast segment shown. Other systems may be used to provide signals to the satellites without departing from the scope of the present teachings.

10 The satellites 12 and 14 act as bent pipes. The satellites translate the frequency of the uplinked signal and retransmit the signal to terrestrial repeaters 18 and portable/mobile receivers 20. As illustrated in Fig. 2, the terrestrial repeater includes a receiver demodulator 34, a de-interleaver and reformatter 35, a terrestrial waveform modulator 36 and a frequency translator and amplifier 38. The receiver and demodulator 34 down-converts the downlinked signal to a TDM bitstream. The de-interleaver and reformatter 35 re-orders the TDM bitstream for the terrestrial waveform. The digital baseband signal is then applied to a terrestrial waveform modulator 36 (e.g. MCM or multiple carrier modulator) and then frequency translated to a carrier frequency prior to transmission.

20 Fig. 3 is a high-level diagram showing the system for distributing music and data of the present invention. The system 1100 includes a studio/uplink site 1110 that receives content (e.g., music) from a content provider 1120 via a feeder link 1130. As will be appreciated by those skilled in the art, the content may be provided electronically or on a physical storage medium such as a compact disc. As discussed more fully below, the studio/uplink site 1110 digitally encodes the selections of music and/or information provided by the content provider 1120 and applies a header that includes a selection ID (identifier).

The encoded bitstream along with the header are uplinked from the studio/uplink site 1110 to the satellite 12 via the antenna 30. As mentioned above, the satellite 12 acts as a bent pipe with a frequency translation (e.g. from X band to S band) and retransmits the received signal to a portable/mobile satellite radio receiver 20.

5 The receiver 20 plays a plurality of selections received on the channels selected by the user. In addition, the receiver 20 has a user interface (not shown) which allows it to receive input from a user indicating a desire to record a given selection. Those skilled in the art will appreciate that the present invention is not limited to the mode or manner by which the user input is provided. The user input may be provided via a record button,
10 voice recognition system, or other suitable means.

 In accordance with the present teachings, on receipt of the record signal from the user, the receiver 20 checks for a recordability flag provided by a content provider and transmitted with the uplink signal, and if the flag permits, the receiver retrieves the identifying (ID) code pertaining to a selection currently being played or displayed and
15 stores the code, in the best mode, on a removable media 1140 such as a flash memory card. (Those skilled in the art will appreciate that the use of the record-ability flag prohibits illegal recording of the selections being broadcast.) The removable media 1140 acts as a link between the receiver 20 and a separate computer 1150. The receiver is adapted to store the user's selections and display the selections to the user.

20 In accordance with the present teachings, when the user desires to receive his or her selections, the user removes the flash card 1140 from the receiver 20 and inserts the card 1140 into a suitable reader (not shown) connected to the computer 1150. The computer 1150 is equipped with a modem by which the user is able to access a second network 1160 and thereby achieve a connection to a web site or private distribution hub
25 1170 designed and configured in accordance with the present teachings. In a home implementation of the invention, the removable storage media 1140 is used with a reader

which is directly connected to the computer in the case where the receiver is portable or stationary unit independent of a vehicle.

As yet another alternative, as illustrated in Fig 3, the user may take the removable media 1140 to a computer in a publicly accessible kiosk 1180 or a commercial establishment and order the selection in the manner described above.

The site or hub 1170 provides the user with a software interface which reads the ID from the media 1140 and, in the best mode, displays information relating to the desired selection for the user's perusal. In the case of music for example the information might include the name of the artist in the title of the selection. This information is provided to a server hosting web site (not shown) by the studio/uplink site 1110. As an alternative, the song ID, the song title and/or the artist may be transmitted to the receiver and displayed either at the receiver at the request of the end user, or on the user's computer.

The user is given the option to order the selection and if he or she does so, the selection is delivered to the user either in real time in a digital format, e.g., MPEG 3 format, with a very high-quality bit rate via the web site 1170, or by a postal service, a courier, or other suitable means.

Fig. 4 is a simplified high-level diagram of the system for distributing music and data of the present invention showing the satellite radio receiver in more detail. In the preferred embodiment, the receiver 20 is an XM satellite receiver such as that disclosed and claimed in copending U. S. patent applications entitled LOW COST INTEROPERABLE SATELLITE DIGITAL AUDIO RADIO SERVICE (SDARS) RECEIVER ARCHITECTURE, filed May 25, 1999 by P. Marko et al., serial no.09/318,296, (Atty. Docket No. XM 0006) and SATELLITE DIGITAL AUDIO RADIO SERVICE RECEIVER ARCHITECTURE FOR RECEPTION OF SATELLITE AND TERRESTRIAL SIGNALS, filed November 4, 1999 by P. Marko et al., serial no.

09/435,317, (Atty. Docket No. XM 0003) the teachings of both of which are hereby incorporated herein by reference.

As shown in Fig. 4, the receiver 20 includes an antenna module 110, an RF tuner module 200, a channel decoder 300, an audio decoder 400, system controller 500, and a user interface 1000. In accordance with the present teachings, the receiver further includes the removable media 1140.

Fig. 5 is a flowchart that illustrates the method of the present invention. As depicted in the flow diagram 2000 of Fig. 5, after the system 1100 is initialized at step 2010, the studio/uplink site 1110 receives content from the content provider 1120 at step 2020. At step 2030, the station 1110 digitizes and encodes the content in the manner described in the above-referenced patents and adds a header thereto.

Fig 6 is a diagram of an illustrative bitstream used by the system for distributing music and data of the present invention. As shown in Fig. 6, the bitstream 2031 includes a service control header (SCH) 2032 and a payload 2039. In the illustrative XM satellite radio implementation of the present invention, the service control header 2032 includes, *inter alia*, a service component control field 2033 and an auxiliary data field 2034.

Fig 7 is a diagram which illustrates the composition of the auxiliary data field of the service control header depicted in Fig. 6. The auxiliary data field 2034 includes a number of message fields 2035. Each message field 2035 includes a control word 2036 having a 'command' field 2037 and a 'length' field 2038. As illustrated in Table 1, the command field defines the control and content information of the message. The length field defines the number of bytes to follow in the message.

Table 2 is an illustrative command table for use in connection with the system of the present invention. Note that a command of 01000 will be interpreted by the system as a program identification command which assigns a 32-bit program identifier to the active program content of a specific selection ID (SID). In the illustrative embodiment, the least

significant bit (byte 1) is used to provide a flag that indicates the record-ability of a given selection.

Byte 2 is used to indicate the current SID. Bytes 3 through six are used to provide 32 bits of program identification. Those skilled in the art will appreciate that the 32-bit program identifier will be effective to allow the system to identify a particular selection which the user desires to record.

Returning to Fig. 5, at step 2040, the bitstream 2031 (Fig. 6) is uplinked from the studio/uplink site 1110 to the satellite 12 (Fig 3). In the illustrative embodiment, the signal is transmitted via the satellites and terrestrial repeaters in compressed form at 64 kbps by way of example. Although this rate represents a level of quality that is superior to FM, it may not be adequate for music recording for playback on a compact disc. A more appropriate rate for this application would be on the order of 96-128 Kbps. However, this rate would require a large amount of bandwidth for wireless links and minimize the number of channels available. In addition, a large memory would be required at the receiver to record the entire selection. Obviously this is currently regarded as being exceedingly expensive. For example, for a four-minute selection, 30,720,000 bits (30.72 Mbits or 3.84 Mbytes) would need to be stored (four minutes times 60 seconds per minute times 128,000 bits per second). Obviously for high-quality digital recording, this block of bits would have to be error-free and this would be difficult in a mobile environment.

Those skilled in the art will appreciate that the present invention addresses these problems by storing only the song ID (a 32-bit word) instead of the entire selection 30,720,000 bits.

Returning to Fig. 5, at step 2050, this signal is retransmitted to a plurality of receivers 20 as discussed above. At step 2060, each receiver 20 provides an audio output of the program content encoded within the payload field 2039 of the bitstream. Simultaneously, at step 2070, the system checks for activation of a 'user select flag'. If

the flag is set, at step 2072, the system checks for activation of the 'record-ability' flag. If either flag is not set, the system continues to output audio at step 2060. If, however, both flags are set, at step 2080, the system records the ID of the current selection and then returns to step 2080 to output audio.

5 At steps 2090 and 2100, at the user's discretion, the media 1140 is removed from the receiver 20 and inserted into a reader (not shown) provided with or connected to the computer 1150. At step 2110, the computer 1150 is used to access the web site 1170 via an intranet or the World Wide Web 1160 as described above. On the web site, software is provided which reads the selection ID from the media 1140 and translates it into
10 information which may be read by the user. Software running on the appropriate Web page of the web site allows the user to order any selections so identified at step 2120. (Implementation of the web site is well within the level of skill of one of ordinary skill in the web site creation art.) The selections are then delivered to the user electronically via the Internet 1160 or physically by an appropriate delivery mechanism at step 2130 as
15 discussed above.

One of ordinary skill in the art may write a program in a suitable programming language to implement the method illustrated in the flow chart of Fig. 5 without undue experimentation.

20 Thus, the present invention has been described herein with reference to a particular embodiment for a particular application. Those having ordinary skill in the art and access to the present teachings will recognize additional modifications, applications and embodiments within the scope thereof.

It is therefore intended by the appended claims to cover any and all such applications, modifications and embodiments within the scope of the present invention.

25 Accordingly,

WHAT IS CLAIMED IS:

CLAIMS

1. A system for distributing music and data comprising:
 - first means for transmitting said data using a first network, said first network being a wireless network;
 - second means for receiving said transmitting data;
 - third means for receiving user input; and
 - fourth means for storing a signal identifying said data in response to said user input.
2. The invention of Claim 1 further including fifth means, responsive to said stored signal, for retrieving said data from a second network.
3. The invention of Claim 1 wherein said fourth means includes a removable electronic storage medium.
4. The invention of Claim 3 wherein said removable electronic storage medium is a flash memory card.
5. The invention of Claim 2 wherein said second network is the Internet or World Wide Web.
6. The invention of Claim 1 wherein said data includes a plurality of music selections.

7. The invention of Claim 6 wherein said second means includes means for playing said music selections as they are received from said first means.

8. The invention of Claim 1 wherein said first means is a satellite radio transmitter and said second means is a satellite radio receiver.

9. The invention of Claim 1 wherein said third means includes a voice recognition system.

10. The invention of Claim 8 wherein said fifth means includes a kiosk.

11. The invention of Claim 1 further including means for selectively disabling said fourth means in response to a nonrecord-ability signal.

12. The invention of Claim 1 further including means for selectively displaying information relating to said signal identifying said data.

~~13.~~ A system for recording data comprising:
a satellite radio transmitter for transmitting said data;
a receiver for receiving said transmitting data;
means for receiving user input;
5 a removable electronic storage medium for storing a signal identifying said data in response to said user input; and
a computer, responsive to said stored signal, for retrieving said data from the Internet or World Wide Web.

14. The invention of Claim 13 wherein said removable electronic storage medium is a flash memory card.

15. The invention of Claim 13 wherein said means for receiving user input includes a voice recognition system.

16. A system for distributing music and data comprising:
first means for transmitting said data using a first network, said first network being a wireless network;
second means for receiving said transmitting data;
5 third means for receiving user input;
fourth means for storing a signal identifying said data in response to said user input; and
fifth means for selectively disabling said fourth means in response to a nonrecord-ability signal.

17. A method for recording data including the steps of:
transmitting said data using a first network, said first network being a wireless network;
receiving said transmitting data;
5 receiving user input;
storing a signal identifying said data in response to said user input; and
retrieving said data from a second network in response to said stored signal.

ABSTRACT OF THE DISCLOSURE

5 A system and method for distributing music and data. The music or data is first transmitted to a consumer via a satellite radio network. The system includes a satellite radio receiver for the user which is capable of receiving the wireless transmission and providing an audio and/or visual output in response thereto. In addition, the receiver is adapted to receive an input (e.g., voice command) from the user by which the user is able to signal an interest in recording a selection of music or data being played and/or displayed. In response to this signal and a record-ability signal, an ID signal is stored on a removable media which identifies the selection being played and/or displayed. The ID signal may be a composite signal indicating the time and channel, a signal that identifies a selection by number, or other suitable ID signal. Finally, the system includes a computer for allowing the user to use the removable media to retrieve the desired selection via the a second network such as private distribution hub or the World Wide Web. In the specific illustrative embodiment, the removable media is electronic (flash) memory. The web site is implemented with software running on a server which translates the ID signal into a human readable identification (e.g., title and artist) of the music or data selected. The user then either downloads the desired selection through the web site or places an order for delivery of physical media (e.g., a CD) on which the desired selection is stored.




FIG. 2





Fig. 3





SATELLITE
RADIO

1100

11a0

Broadcast
Service

XM
Broadcast
Station

1110

30

110

20

200

Receiver/Decoder

XM Radio

400

Audio stream

300

RF

Channel
Decoder

Audio
Decoder

Memory

System Controller

1140

500

User
Interface


1000

FIG. 4

One Way

1a

Fig. 5(a)



6547472 " 65474720

Fig. 5(b)




Fig. 5(c)




FIG. 6






FIG. 7



Please type a plus sign (+) inside this box → 

PTO/SB/01 (12-97)
Approved for use through 9/30/00. OMB 0651-0032
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

**DECLARATION FOR UTILITY OR
DESIGN
PATENT APPLICATION
(37 CFR 1.63)**

☒ Declaration Submitted with Initial Filing OR ☐ Declaration Submitted after Initial Filing (surcharge (37 CFR 1.16 (e)) required)

Attorney Docket Number XM-0025

First Named Inventor S. Patsiokas

COMPLETE IF KNOWN

Application Number /

Filing Date

Group Art Unit

Examiner Name

As a below named inventor, I hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

SYSTEM AND METHOD FOR DISTRIBUTING MUSIC AND DATA

the specification of which (Title of the Invention)

☒ is attached hereto
OR

☐ was filed on (MM/DD/YYYY) as United States Application Number or PCT International

Application Number and was amended on (MM/DD/YYYY) (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached?	
				YES	NO
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

☐ Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto:

I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below.

Application Number(s)	Filing Date (MM/DD/YYYY)	<input type="checkbox"/> Additional provisional application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

[Page 1 of 2]

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS SEND TO: Assistant Commissioner for Patents, Washington, DC 20231

Please type a plus sign (+) inside this box →



PTO/SB/01 (12-97)
Approved for use through 9/30/00. OMB 0651-0032
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION — Utility or Design Patent Application

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application or PCT Parent Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (if applicable)

☐ Additional U.S. or PCT international application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

As a named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith: ☐ Customer Number OR

☒ Registered practitioner(s) name/registration number listed below

Place Customer
Number Bar Code
Label here

Name	Registration Number	Name	Registration Number
William J. Benman	29,014		

☐ Additional registered practitioner(s) named on supplemental Registered Practitioner Information sheet PTO/SB/02C attached hereto.

Direct all correspondence to: ☐ Customer Number OR ☒ Correspondence address below


Name	Benman & Collins				
Address	2049 Century Park East				
Address	Suite 2740				
City	Los Angeles	State	CA	ZIP	90067
Country	USA	Telephone	(310) 553-2400	Fax	(310) 553-2675

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Name of Sole or First Inventor:		<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle [if any])		Family Name or Surname			
Stellios J.		Patsiokas			
Inventor's Signature				Date	
Residence: City	Plantation	State	FL	Country	USA
Post Office Address	9324 N.W. 18th Street				
Post Office Address					
City	Plantation	State	FL	ZIP	33322
Country	USA				

☐ Additional inventors are being named on the _____ supplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached hereto

United States Patent & Trademark Office
Office of Initial Patent Examination -- Scanning Division



Application deficiencies were found during scanning:

☐ Page(s) 1 of Declarations were not present
for scanning. (Document title)

☐ Page(s) _____ of _____ were not present
for scanning. (Document title)

There are 2 sheets of Declarations Enclosed.

☐ Scanned copy is best available.